

Supra LED

LED Pendants



Data Sheet

Product Information

The Supra LED range of pendant luminaires are perfect for counter/table lighting in commercial or domestic applications. Available in black or white and either 9W or 26W 3000K LED's.

They come complete with a 2 year warranty for your peace of mind.

Product Features

- 2 year warranty
- Class II
- IP20
- Instant on
- 9W or 24W 3000K LED
- CRI: Ra82
- Non-Dimmable
- 55° Beam angle
- 2 Colour options
- Fully integrated driver
- Lighting designers can download photometric data from our website
- L70 – 40,000hrs

Product Specification

Product Code	Product Description	Wattage (W)	CCT (K)	Lumens (lm)	CRI (Ra)	Energy Efficiency Class	Protection Class
KSR7300	Supra 9W 3000K LED Pendant Light Black with Black Shade	9	3000	780	82	G	I
KSR7301	Supra 9W 3000K LED Pendant Light White with White Shade	9	3000	780	82	G	I
KSR7303	Supra 24W 3000K LED Pendant Light White with White Shade	24	3000	2150	82	G	I

Nominal voltage	220~240V
Operating frequency	50-60Hz
Ambient temperature range	-20°C~+40°C
Start time	< 0.5 sec
Beam angle	55°
IP rating	20

Construction

Body:	Aluminium
Shade:	Spun Aluminium
Diffuser:	Polycarbonate


Standards

BSEN60598-1:2021 Luminaires – Part 1: General requirements and tests


In Conformity with

LVD	Low voltage directive 2014/35/EU
EMC	Electromagnetic compatibility directive 2014/30/EU
ERP	Energy related products directive 2019/2020/EU
RoHS	Restriction of hazardous substances 2015/863/EU

Product Dimensions



KSR7300-7301



KSR7303

KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.