

Nautilus GU10 Spotlights

Residential Lighting



Product Information

The Nautilus IP20 Spotlights are suitable for 35W GU10 lamps and are suitable for LED GU10 lamps.

These fittings are available in 4 versions: A Single, Double, Triple and a Quad bar making them ideal for domestic and residential applications where an IP rating is required.

KSR6220



KSR6221



www.ksrlighting.com

Product Features

- 1 year warranty
- IP20
- Suitable for 35W GU10 lamps and LED GU10 lamps
- Class I
- 350° Rotation and 45° Tilt
- 4 versions available
- Dimmable dependant on lamp type used

KSR6222



KSR6223



Product Specification

Product	Product Description	Wattage	CCT (K)	Lumens	Protection
Code		(W)		(lm)	Class
KSR6220	Nautilus Single Spotlight	1x35w max	Varies	Varies	ı
KSR6221	Nautilus Double Spotlight	2x35w Max	Varies	Varies	1
KSR6222	Nautilus Triple Spotlight	3x35w Max	Varies	Varies	1
KSR6223	Nautilus Quad Spotlight	4x35w Max	Varies	Varies	I

Nominal voltage	220~240VAC
Operating frequency	50/60Hz
Circuit Wattage	35w Max GU10 Halogen or GU10 LED
Ambient temperature range	0°c to +30°c
IP rating	20

Construction

Body: Pressed Steel

Standards


BSEN60598-1:2021 Luminaires – Part 1: General requirements and tests


In Conformity with

LVD Low voltage directive 2014/35/EU


EMC Electromagnetic compatibility directive 2014/30/EU ERP Energy related products directive 2019/2020/EC RoHS Restriction of hazardous substances 2015/863/EU


Product Dimensions





KSR6220CH KSR6221CH





KSR6222CH KSR6223CH

KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.