

Harmony LED Street Post

Urban Lighting



Data Sheet

Product Information

The Harmony LED is a street post with a contemporary design that lends itself well to car park and pathway lighting. This combined with the latest LED technology and sleek design makes it an attractive package.

Complete with a 5 year warranty for your piece of mind

Product Features

- 5 year warranty
- Class I
- IK08
- IP65
- CRI: Ra>80
- 35w 4000K SMD LED
- Integral High performance LED Driver
- Up to 105lumens per Circuit Watt
- Service door located in Base
- Available in Anthracite
- Life expectancy up to 50,000hrs

Product Specification

Product Code	Product Description	Wattage (W)	CCT (K)	Lumens (lm)	Energy Efficiency Class	Protection Class
KSR4156	Harmony 36W 4000K LED Single Street Post Lantern	36	4000	3600	A+	I
KSR4157	Harmony 2x 36W 4000K LED Twin Street Post Lantern	2x36	4000	2x3600	A+	I
KSR4158	Harmony 3x 36W 4000K LED Triple Street Post Lantern	3x36	4000	3x3600	A+	I

Nominal voltage	220-240V
Operating frequency	50/60Hz
Circuit Wattage	36.3w including driver losses
Circuit Current	0.167A
Driver Current Rating	700mA
PFC	0.94
In Rush Current	0.686A Max Peak
Ambient Temperature range	-20°C~+40°C
Start Time	<0.5 sec
Ingress Protection	IP65

Construction

Body: Die Cast Aluminium
Diffuser: Transparent Polycarbonate


Standards

BSEN60598-1:2015 Luminaires – Part 1: General requirements and tests


In Conformity with

LVD Low voltage directive 2014/35/EU
RoHS Restriction of hazardous substances 2011/65/EU


Product Dimensions



KSR4156



KSR4157



KSR4158

KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.