

Meta 3 Circuit Zoom

Track Lighting



Data Sheet

Product Information

The Meta 3 circuit LED track fittings are ideally suited to retail applications. This fitting comes with adjustable beam angle feature allowing you to adjust the beam angle between 20° and 60°

Comes with a 3 year warranty for piece of mind

Product Features

- 3 year warranty
- Adjustable Beam Angle Feature
- 350° rotation and 90° tilt
- Class 1
- High CRI of ra93
- Part L Compliant
- Can be supplied in Black or White
- Life Expectancy: Up to 40,000hrs

Adjustable 20-60° Beam Angle



Product Specification

Product Code	Product Description	Wattage (W)	CCT (K)	Lumens (lm)	CRI (Ra)	Energy Efficiency Class	Protection Class	Beam Angle
KSR6441	Meta 30w LED 3000K Track Fitting with Zoom Lens	30	3000	3230	93	A+	I	20-60°
KSR6442	Meta 30w LED 4000K Track Fitting with Zoom Lens	30	4000	3230	93	A+	I	20-60°

Nominal voltage	220~240VAC
Operating frequency	50-60Hz
Circuit Wattage	30w including losses
Circuit Current	0.20A
Driver Current Rating	500mA
PFC	0.8
In Rush Current	0.35A Max Peak
Start Time	< 0.5 Sec
Ambient temperature range	-10°c to +30°c
IP rating	20

Construction

Body:	Aluminium
Trim/Bezel:	PMMA
Diffuser:	Polycarbonate


Standards

BSEN60598-1:2015	Luminaires – Part 1: General requirements and tests
------------------	---

In Conformity with

LVD	Low voltage directive 2014/35/EU
EMC	Electromagnetic compatibility directive 2014/30/EU
ERP	Energy related products directive 2009/125/EC
RoHS	Restriction of hazardous substances 2011/65/EU

Product Dimensions



KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.

www.ksrlighting.com