

Escala Pro Track & Accessories

Track & Accessories



Data Sheet

Product Information

The Escala Pro single circuit mains track range have a vast range of track fittings to suit all scenarios. The track can be suspended or fixed to suit the installation. A range of accessories to create a track layout to your specification.

Product Features

- 1 year warranty
- Class I
- IP20
- 16A maximum load
- 240V single circuit mains track
- Choice of Black or White finishes
- Vast range of luminaires that can be fitted to the track
- Can be suspended
- Track supplied with end caps
- Power feed not supplied with track

Product Specification

Product Code	Product Description	Protection Class
KSR6500	Escala Pro 4ft Single Circuit Track	I
KSR6501	Escala Pro 8ft Single Circuit Track	I
KSR6502	Escala Pro Straight Connector	I
KSR6503	Escala Pro L/Straight Connector with Live Feed	I
KSR6504	Escala Pro Flexible Connector	I
KSR6505	Escala Pro Live End with Conduit Entry	I
KSR6506	Escala Pro Live End	I
KSR6507	Escala Pro Adaptor to Suspend Pendants (5A max.)	I
KSR6508	Escala Pro Adaptor to Provide Power with 1m Cable (5A max.)	I
KSR6509	Escala Pro 2m Wire Suspension Kit	N/A
KSR6510	Escala Pro Suspension Kit for Suspended Ceilings	N/A
KSR6511	Escala Pro Surface Place	I

Nominal voltage	220~240V
Operating frequency	50-60Hz
IP rating	20

Construction

Track: Extruded Aluminium
Accessories: Plastic


Standards

BSEN60598-1:2015 Luminaires – Part 1: General requirements and tests


In Conformity with

LVD Low voltage directive 2014/35/EU
RoHS Restriction of hazardous substances 2011/65/EU


Product Dimensions




KSR6500




KSR6501




KSR6502




KSR6503




KSR6504




KSR6505




KSR6506




KSR6507




KSR6508



KSR6509



KSR6510



KSR6511

KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.