

Escala Pro Linear LED

Track Lighting



Data Sheet

Product Information

The Escala Pro Linear LED range of track fittings are ideal for commercial applications where you want a neat linear highly efficient light source and the ability of having the same fittings but adjust the beam angle to suit the areas you are lighting via the optional lenses.

They come complete with a 3 year warranty.

Product Features

- 3 year warranty
- Class I
- IP20
- High efficiency 4000K LED
- CRI: Ra90
- Multiple lenses to adjust beam angles
- Two sizes and wattages
- Integral drivers
- Lighting designers can download photometric data from our website

Product Specification

Product Code	Product Description	Wattage (W)	CCT (K)	Lumens (lm)	CRI (Ra)	Energy Efficiency Class	Protection Class	Beam Angle
KSR6540	Escala Pro 18W Linear LED Track Fitting	18	4000	1554	94	A+	I	110°
KSR6541	Escala Pro 36W Linear LED Track Fitting	36	4000	3000	94	A+	I	110°
KSR6542	Escala Pro Linear 18W Single Asymetric Lens							66°
KSR6543	Escala Pro Linear 18W Double Asymetric Lens							108°
KSR6544	Escala Pro Linear 18W Narrow Beam Lens							56°
KSR6545	Escala Pro Linear 18W Wide Beam Lens							100°
KSR6546	Escala Pro Linear 36W Single Asymetric Lens							66°
KSR6547	Escala Pro Linear 36W Double Asymetric Lens							108°
KSR6548	Escala Pro Linear 36W Narrow Beam Lens							56°
KSR6549	Escala Pro Linear 36W Wide Beam Lens							100°

Nominal voltage	220~240V
Operating frequency	50-60Hz
Ambient temperature range	-20°C~+40°C
Start time	< 0.5 sec
IP rating	20

Construction

Body: Cast Aluminium
Lens: Polycarbonate


Standards

BSEN60598-1:2015 Luminaires – Part 1: General requirements and tests


In Conformity with

LVD Low voltage directive 2014/35/EU
EMC Electromagnetic compatibility directive 2014/30/EU
ERP Energy related products directive 2009/125/EC
RoHS Restriction of hazardous substances 2011/65/EU

Product Dimensions



KSR6540



KSR6541

KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.