

Barro Wall Lights

Residential Lighting



Data Sheet

Product Information

The Barro wall lights are suitable for 50w GU10 lamps and are suitable for LED GU10 lamps. These fittings are available in 3 colours making them ideal for domestic and residential applications.

Product Features

- 1 year warranty
- Suitable for 50w GU10 lamps and LED GU10 lamps
- Class I
- 3 colour options: White, Black and Polished Aluminium
- Dimmable dependant on lamp type used

KSR7253 Alu



KSR7253 BLK



Product Specification

| Product Code | Product Description | Wattage (W) | CCT (K) | Lumens (lm) | Protection Class |
|--------------|---------------------------------|-------------|---------|-------------|------------------|
| KSR7253 | Barro Up & Down GU10 Wall light | 50w max | Varies | Varies | I |

| | |
|---------------------------|--------------------------|
| Nominal voltage | 220~240VAC |
| Operating frequency | 50/60Hz |
| Circuit Wattage | 50w Max GU10 or GU10 LED |
| Circuit Current | Dependant on lamp |
| Driver Current Rating | Dependant on lamp |
| PFC | varies |
| In Rush Current | Dependant on lamp |
| Ambient temperature range | -10°C to +30°C |
| IP rating | 20 |

Construction

Body: Aluminium


Standards

BSEN60598-1:2021 Luminaires – Part 1: General requirements and tests

In Conformity with

LVD Low voltage directive 2014/35/EU
EMC Electromagnetic compatibility directive 2014/30/EU
ERP Energy related products directive 2019/2020/EC
RoHS Restriction of hazardous substances 2015/863/EU

Product Dimensions



KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.