


Scoop LED Wall Light

Residential Lighting



Data Sheet

Product Information


The Scoop LED wall light comes with a Dim to warm feature which is ideal for mood lighting in domestic applications.

Available in Polished Aluminium and White.

Our Scoop LED Wall light comes complete with a 3 year warranty.

Product Features

- 3 year warranty
- Class I
- Dim to Warm colour toning Feature dim from 3000K to 2000K
- Up to CRI Ra95
- Available in Polished Aluminium and White
- For our dimmer compatibility list please go to www.KSRLighting.com
- L70 – 30,000hrs



Product Specification

Product Code	Product Description	Wattage (W)	CCT (K)	Lumens (lm)	CRI (Ra)	Energy Efficiency Class 2021	Protection Class
KSR7267	Scoop 13w Colour toning LED Wall Light	13	3000	546	95	G	I

Nominal voltage	220~240VAC
Operating frequency	50/60Hz
Circuit Wattage	15.6w including driver losses
Circuit Current	0.07A
Driver Current Rating	350mA
PFC	0.96
In Rush Current	0.361A Max Peak
Ambient temperature range	-20°C to +40°C
IP rating	20

Construction

Body: Aluminium



Standards

BSEN60598-1:2021 Luminaires – Part 1: General requirements and tests

In Conformity with

LVD	Low voltage directive 2014/35/EU
EMC	Electromagnetic compatibility directive 2014/30/EU
ERP	Energy related products directive 2019/2020/EU
RoHS	Restriction of hazardous substances 2015/863/EU

Product Dimensions



KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.