


# Navara 5M 24V IP65 LED Strip

*LED Strip Lighting*



Data Sheet

## Product Information

Our Navara 5m 24V IP65 LED Strip is ideal for lighting applications where feature lighting is required.

This range is well suited to residential and commercial applications.



## Product Features

- 3 year warranty
- IP65
- Available in 3000K or 4000K
- Two dimming options -  
Dimmable control via remote control using KSR9564 & KSR9566 with an effective range up to 30m or Rotary dimming using KSRDL292/3
- 3.8w or 7.6w per metre options
- Driver Supplied
- Class II for Power supply and Class III for LED Strip
- 24v Constant Voltage
- Self-adhesive Backing
- Can be cut every 100mm
- L70 – 40,000hrs

# Product Specification

Product Code	Product Description	Wattage (W)	CCT (K)	CRI (Ra)	Lumens (lm)	Protection Class
KSR9550	Navara 5m 19w 3000K LED 24V Strip*	19w	3000	90	259.4lm per metre	III
KSR9551	Navara 5m 19w 4000K LED 24V Strip*	19w	4000	92	305.6lm per metre	III
KSR9552	Navara 5m 38w 3000K LED 24V Strip*	38w	3000	90	509.6lm per metre	III
KSR9553	Navara 5m 38w 4000K LED 24V Strip*	38w	4000	92	591.4lm per metre	III
KSR9564	Navara LED Receiver/Controller***					II
KSR9566	Navara Single Colour Remote***					
KSRDL287	20W 24V Non Dimmable Constant Voltage Driver**	20w				II
KSRDL288	60W 24V Non Dimmable Constant Voltage Driver**	60w				II
KSRDL292	25W 24V Dimmable Constant Voltage Driver**	25w				II
KSRDL293	50W 24V Dimmable Constant Voltage Driver**	50w				II

Nominal voltage	24V
Operating frequency	50/60Hz
Circuit Wattage	3.8w or 7.6w per metre (19w or 38w)
Circuit Current	TBC
Driver Current Rating	N/A
PFC	0.99
In Rush Current	N/A
Ambient temperature range	-10°c to +45°c
IP rating	65

## Construction

Coating: Clear Silicone


## Standards

BSEN60598-1:2021                      Luminaires – Part 1: General requirements and tests


## In Conformity with

LVD	Low voltage directive 2014/35/EU
EMC	Electromagnetic compatibility directive 2014/30/EU
ERP	Energy related products directive 2019/2020/EU
RoHS	Restriction of hazardous substances 2015/863/EU

## Product Dimensions




**KSR9564**



**KSR9550-51**



**KSR9566**



**KSR9552-53**

KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.