

Titano E27 Bollard

Bollards

Data Sheet

Product Information

The Titano E27 Bollard is a versatile bollard range suitable for E27 lamps. Available in Anthracite and Oxide finishes

Suitable for Domestic or Commercial Applications

Product Features

- 2 year warranty
- Class I
- IP43 on wall Bollard/IP55 for bollards
- IK07
- Root mounting kit available



KSR3650 ANTH



KSR3651 OXI



KSR3652 ANTH



KSR3653 OXI

Product Specification

Product Code	Product Description	Wattage (W)	Lamp Cap	Lumens (lm)	CRI (Ra)	Energy Efficiency Class	Protection Class
KSR3650	Titano E27 Wall Bollard	23w max	E27	Dependant on lamp	varies	Lamp Dependant	I
KSR3651	Titano E27 450mm Bollard	23w max	E27	Dependant on lamp	varies	Lamp Dependant	I
KSR3652	Titano E27 750mm Bollard	23w max	E27	Dependant on lamp	varies	Lamp Dependant	I
KSR3653	Titano E27 1000mm Bollard	23w max	E27	Dependant on lamp	varies	Lamp Dependant	I
Accessories							
KSR3180	Titano Root Mounting Kit						

Nominal voltage	220~240VAC
Operating frequency	50-60Hz
Power	23W E27 Max
Circuit Wattage	Dependant on Lamp Choice
Temperature Range	-20°c to 40°c
IP rating	43 for wall light and 55 for Bollards

Construction

Body:	Cast Aluminium
Lens:	Transparent Polycarbonate

Standards


BSEN60598-1:2015 Luminaires – Part 1: General requirements and tests

In Conformity with


LVD	Low voltage directive 2014/35/EU
EMC	Electromagnetic compatibility directive 2014/30/EU
RoHS	Restriction of Hazardous Substances 2015/863/EU

Product Dimensions


KSR3650




KSR3651



KSR3652



KSR3653



KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.