

# Titano LED Bollard Range

*Bollards*



Data Sheet

## Product Information

The Titano LED Bollard is a versatile bollard range supplied in 3000k or 5000K to suit your application. Available in Anthracite and Oxide finishes

Low energy Alternative to traditional bollard light sources suitable for Domestic or Commercial Applications

## Product Features

- 2 year warranty
- Class I
- IP43 on wall light/IP55 for bollards
- IK07
- 10w 3000K or 5000K LED
- CRI: Ra84 or Ra86
- Up to 890lumens
- Root mounting kit available
- L70 - 30,000hrs



KSR3654 ANTH



KSR3655 OXI



KSR3656 ANTH



KSR3657 OXI

# Product Specification

Product Code	Product Description	Wattage (W)	CCT (k)	Lumens (lm)	CRI (Ra)	Energy Efficiency Class	Protection Class
KSR3654	Titano 10w 5000K LED Wall Bollard	10	5000	890	86	G	I
KSR3655	Titano 10w 5000K LED 450mm Bollard	10	5000	890	86	G	I
KSR3656	Titano 10w 5000K LED 750mm Bollard	10	5000	890	86	G	I
KSR3657	Titano 10w 5000K LED 1000mm Bollard	10	5000	890	86	G	I
KSR3658	Titano 10w 3000K LED Wall Bollard	10	3000	800	82	G	I
KSR3659	Titano 10w 3000K LED 450mm Bollard	10	3000	800	82	G	I
KSR3660	Titano 10w 3000K LED 750mm Bollard	10	3000	800	82	G	I
KSR3661	Titano 10w 3000K LED 1000mm Bollard	10	3000	800	82	G	I
<b>Accessories</b>							
KSR3180	Titano Root Mounting Kit						

Nominal voltage	220~240VAC
Operating frequency	50-60Hz
Circuit Wattage	10w including losses
Circuit Current	TBC
Driver Current Rating	N/A Mains Voltage LED
PFC	0.9
In Rush Current	N/A
Temperature Range	-20°c to 40°c
IP rating	43 for wall light and 55 for Bollards

## Construction

Body: Cast Aluminium  
 Lens: Transparent Polycarbonate

## Standards


BSEN60598-1:2021      Luminaires – Part 1: General requirements and tests

## In Conformity with


LVD                      Low voltage directive 2014/35/EU  
 EMC                    Electromagnetic compatibility directive 2014/30/EU  
 ERP                    Energy related products directive 2019/2020/EU  
 RoHS                  Restriction of hazardous substances 2015/863/EU

# Product Dimensions


**KSR3654/3658**




**KSR3655/3659**



**KSR3656/3660**



**KSR3657/3661**



KSR Lighting is constantly developing and improving its products. For this reason, all product descriptions in this data sheet are intended as a general guide, and KSR may change specifications from time to time in the interest of product development, without prior notification or public announcement. All descriptions in this data sheet present only general particulars of the goods to which they refer and shall not form part of any contract. Data in this guide has been obtained in controlled experimental conditions. However, KSR Lighting cannot accept any liability arising from the reliance on such data to the extent permitted.